

INDEX TO VOLUME XXI

New names and the final members of new combinations are in **bold face type**. Mistakes in the spelling of scientific names encountered in text are corrected in the index.

- Abies, 100, 162, 235, 236; balsamea, 236, 237, 238, 242, 278; Fraseri, 236; grandis, 101; lasiocarpa, 237
 Abutilon, 159, 163
 Acalypha, 314, 315
 Acanthus, 143
 Acarospora **amabilis**, 249, 255, 256; bella, 250, 260; Brouardi, 249; chlorophana, 249, 251; chrysops, 250, 257; citrina, 260; **contigua**, 250, 256, 257; **evoluta**, 249, 254, 255; **extenuata**, 249, 251, 252; hilaris, 251, 252; oxytona, 249, 251; samoënsis, 250; Schleicheri, 249; **socialis**, 249, 252, 254, 255; **subalbida**, 249, 250, 257; **texana**, 249, 250; xanthophana, 249, 259
 Acarospora in North America, The yellow species of, A. H. Magnusson, 249
 Acer, 190; macrophyllum, 104, 108; rubrum, 324; saccharum, 190
 Actinomyces, 206, 207, 209, 215-217
 Aecidium, 162; Allenii, 86, 88; arc-toum, 88; biforme, 171; Sarcobati, 171; Sommerfeldtii, 171
 Aesculus, 160
 Agaricus, 335; campester hortensis, 41; campestris, 333; Tuber regium, 124
 Agave, 163
 Agrimonia, 195
 Agropyron repens, 195, 290
 Agrostis alba, 290
 Aleurites moluccana, 314
 Aleurodiscus candidus, 99; penicil-latus, 99
 Allium, 160, 162-164
 Allodus, 170
 Alnus, 99, 100, 102, 160; oregona, 108
 Alternaria, 155-158, 216; crassa, 158; humicola, 207, 213; rugosa, 157; Solani, 158; tenuis, 155, 157, 158
 Alternaria and Macrosporium, Tabu-lation of, P. A. Young, 155
 Althaea rosea, 291
 Amanita calyptroderma, 102; pan-therina, 102; pantherinoides, 103
 Amaranthus, 162
 Amaurochaete tubulina, 267
 Ambrosia trifida, 195
 Amygdalus, 159
 Ancient Roman toadstool carved in stone, An, John W. Harshberger, 143
 Andropogon scoparius, 290; virgini-cus, 291
 Anemone virginiana, 290
 Angelica genuflexa, 326
 Aphanomyces phycophilus, 94; stel-latus, 94
 Aphanomycopsis, 94
 Aphragmium, 94
 Aphysa, 181
 Apiosporina Collinsii, 327
 Apium, 162
 Arbutus, 162
 Arctium Lappa, 194; minus, 290
 Arcyria cinerea, 272; denudata, 272; digitata, 272; ferruginea, 272; in-carnata, 271; insignis, 272; 298; 299; insignis **dispersa**, 298; nutans, 271; Oerstedtii, 271; versicolor, 271
 Armillaria amianthina, 103
 Arnica, 162
 Arontium aquaticum, 115
 Arthonia **gibbosa**, 37
 Arthopyrenia fluctigena, 40; **hepto-sporiza**, 39; prosperella, 39
 Arthur, J. C., Another fern rust of the genus Desmella, 77; Proposed amendments to the international rules of nomenclature, 172
 Arum virginicum, 115
 Asclepias, 163
 Asparagus, 159, 160, 163; officinalis, 183, 187, 290
 Aspergillus, 206, 208, 216, 218; fumi-gatus, 207, 211; luchuensis, 207, 211; niger, 207, 211
 Asphodelus, 162
 Aster, 159, 171, 288; cordifolius, 290; prenanthoides, 288; tardiflorus, 189
 Asterodon ferruginosum, 148
 Avena, 159, 164; sativa, 290
 Bacidia Lafayetteana, 35; subluteola, 34; **tristis**, 35
 Badhamia panicea, 263, 322; rubi-ginosa, 263; utricularis, 263, 322

- Bambusa, 163
 Banker, Howard J., Notes on the Hydnaceae, 145
 Baptisia, 163
 Batrachospermum, 57
 Benedict, D. M., *Ustilago echinata* Schröt., 84
 Berberis vulgaris, 290
 Beta, 160
 Bigelowia, 161
 Bilimbia *Finkii*, 35
 Bolbitius vitellinus, 105
 Boletinus pictus, 100
 Boletus edulis, 100; flavus, 52; subtomentosus, 100; viscidus, 52
 Botryodiplodia Theobromae, 317
 Botryosphaeria, 313, 318, 319; Ribis, 313; Ribis chromogena, 314, 315
 Botryosphaeria and Physalospora in the Hawaiian Islands, Neil E. Stevens and C. L. Shear, 313
 Botrytis, 20, 53; Poenoniae, 111
 Brassica, 159-164; oleracea, 184
 Bromus secalinus, 195
 Buellia *yaucœnsis*, 33
 Bulbochaete, 95
 Bullaria, 170
 Buxus sempervirens, 141
- Calamagrostis, 162
 Caliciopsis pinea, 235
 Caloplaca, 254-256, 258
 Calycanthus, 163
 Camellia, 163
 Campanula americana, 194, 195
 Cantharellus albidus, 104; cibarius, 279, 280; cinereus, 104; tubaeformis, 104
 Capsicum, 159, 160
 Carex, 5, 8, 16, 24, 161, 164, 171; acuta, 7, 8, 10, 11, 22; aquatilis, 87, 88; arenaria, 9-12, 14, 15; atherodes, 87; crinita, 22, 23, 26, 30; debilis Rudgei, 290; eburnea, 86, 88; flava, 22, 23; gracilis, 10, 15, 22; Hudsonii, 8, 10, 12, 15, 16, 22; hystricina, 22, 23; interior, 18, 22, 23, 26, 27, 29, 30; lanuginosa, 86-88; nebraskensis, 16, 22, 23; paniculata, 8-11, 14, 15; prairiea, 16, 18, 22, 25-27, 29, 30; retrorsa, 26, 29, 30; rigida, 23; riparia, 22, 23; rostrata, 22, 23; scabrata, 290; Sprengelii, 87; stricta, 8, 10, 12-14, 16-18, 21, 22, 25; vesicaria, 26, 30; vesicaria monile, 288, 291; viridula, 86; vulpina, 7, 8, 10, 11, 15, 22
 Carya, 283
 Cash, Edith K., and Wm. W. Diehl, The taxonomy of *Peziza quernei*, 243
 Cassia, 160-163
 Castanea, 160, 276; dentata, 274, 324
 Catalpa, 160, 161
 Celosia, 161
 Cenangium, 243; Abietis, 235; querneum, 244; turgidum, 244, 246, 247
 Cenchrus carolinianus, 194
 Ceratiomyxa fruticolosa, 262; porioides, 262
 Cercis canadensis, 188
 Cercospora, 304, 306, 309, 311; Chenopodii *micromaculata*, 329; *Cryptotaeniae*, 329; Davisii, 309, 311, 312; helvola, 309-312; Medicaginis, 309-312; Meliloti, 309-311; *Phaseoli*, 329; Stolziana, 309-312; umbrata *maculata*, 330; zebrina, 310-312
 Cercospora Lili, 327
 Chaetomium, 210, 216; *subterraneum*, 207, 208, 210, 217, 218; triconosporum, 210
 Chardon, Carlos E., Franklin Sumner Earle, 301
 Charles, Vera K., Mrs. Flora Wambaugh Patterson, 1
 Chenopodium, 160; Boscanium, 329
 Chrysopsis mariana, 326
 Ciboria, 12
 Cicinnobolus Uncinulae, 107
 Ciferri, R., An easy method for the study of simple Hyphae in cultures, 151
 Circinella, 216; simplex, 207, 208, 217, 218
 Cirsium, 161; arvense, 291; lanceolatum, 195, 290
 Citrullus vulgaris, 327
 Citrus, 159-164; paradisi, 120, 128; sinensis, 120, 128
 Cladophora, 95
 Cladosporium brevipes, 327; herbarum, 111; Pisi, 196; *subsessile*, 327; Triostei, 196
 Claudopus, 280; subdepluens, 279
 Clavaria formosa, 97; incarnata, 98; myceliosa, 97; purpurea, 98; *occidentalis*, 97, 98; rosea, 98; rugosa, 97
 Claviceps, 20, 293; caricina, 6, 16; nigricans, 7, 9, 10
 Clematis, 161, virginiana, 290
 Clitocybe, 168; amara, 103; tabescens, 103
 Clonostachys araucaria, 111
 Coffea, 160
 Coker's Gasteromycetes, Fred J. Seaver, 52
 Coleosporium, 80; delicatulum, 288; Solidaginis, 81, 82, 288; Viburni, 194
 Coleosporium, The Uredinia of Melampsora and, E. H. Moss, 79
 Coleroa, 181

- Collaea, 161
 Collections of rusts made in New York State, W. R. Hunt, 288
 Collemopsidium **atlanticum**, 34
 Collybia, 168; conigenoides, 103
 Colorado, History of mycological collectors in, Paul F. Shope, 292
 Colutea, 162
 Comatricha elegans, 268; flaccida, 268; irregularis, 268; laxa, 268; nigra, 268; **Rispaudii**, 297, 298; Suksdorfii, 268; typhoides, 268
 Comparison of two species of Plectodiscella, A. A. E. Jenkins and J. G. Horsfall, 44
 Coniosporium apiosporoides, 327; Fairmani, 327; **parasiticum**, 327
 Coniothecium **Eriodictyonis**, 331
 Coniothyrium Fuckelii, 107; Hellebori, 107
 Contributions to a mycological flora of local soils, Marjorie E. Swift, 204
 Contributions to our knowledge of Oregon fungi—III, S. M. Zeller, 97
 Convolvulus, 116; panduratus, 115, 116
 Coprinus, 168, 229; atramentarius, 202; comatus, 105; micaceus, 197, 202
 Coronophora angustata, 275; ootheca, 276
 Corticium apiculatum, 280; centrifugum, 99; ermineum, 280; evolvens, 99; lividum, 99; Overholtsii, 281; **Pruni**, 282; stramineum, 282
 Corylus californica, 108
 Coryneum Rhododendri, 109
 Crataegus, 110, 161, 289
 Craterellus cornucopioides, 98
 Craterium aureum, 265; leucocephalum, 265; minutum, 265
 Cribraria argillacea, 269; aurantiaca, 270; cuprea, 270; dictydioides, 270; elegans, 270; intricata, 298; languescens, 262, 270; **laxa**, 298; macrocarpa, 269, 298; minutissima, 270; piriformis, 270; piriformis notabilis, 270; purpurea, 270; rufa, 270; splendens, 270; tenella, 270
 Crithmum, 163
 Cronartium: Comandrae, 80, 82; Comptoniae, 289; Quercus, 289; ribicola, 235, 237, 241, 288, 289
 Cryptosphaeria populina, 233, 276
 Cryptostictis, 191; hysteroioides, 191; **inaequalis**, 191
 Cryptotaenia canadensis, 329
 Cucumis, 159, 160, 162, 164
 Cucurbita, 159, 160–163
 Cultures, An easy method for the study of simple Hyphales in, R. Ciferri, 151
 23
 Cultures of Agaricus campestris, The production of normal sporophores in monosporous, Edmund B. Lambert, 333
 Cultures of sclerotial fungi, H. H. Whetzel, 53
 Cunninghamella, 216; elegans, 207, 210
 Cyathus striatus, 107
 Cyindrosporium Crataegi, 110
 Cynara, 164
 Cyperus Schweinitzii, 194; strigosus, 194
 Cyphella fasciculata, 99
Cyphellopynis, 189; **Pastinacae**, 189
 Cytisus scoparius, 102
 Cytospora, 233, 278; chrysosperma, 107; **sambucicola**, 189, 190; sambucina, 189, 190
 Cytosporina, 233
 Dahlia, 164
 Darluca Filum, 79
 Dasyscypha Agassizii, 235–242
 Dasyscypha Agassizii on Pinus Strobus, Walter H. Snell, 235
 Datisca, 161
 Datura, 159, 163, 164
 Daucus, 162, 163
 Dearness, John, New and Noteworthy Fungi—VI, 326
 Deinacanthon, 160
 Dendryphium **brunneum**, 330
 Depazea Meliloti, 311
 Desmella, 77; Aneimiae, 77; mbatobiensis, 77; **obovata**, 77, 78; superficialis, 77
 Desmella, Another fern rust of the genus, J. C. Arthur, 77
 Diachaea caespitosa, 298; cylindrica, 298, leucopoda, 268, 322
 Dianema Andersonii, 271; corticatum, 271
 Dianthus, 159, 161–164; Caryophyllus, 288, 291
 Diaporthe, 319
 Dicaeoma, 170, 336; Allenii, 86
 Dichaena, 157, 246, 247; quercina, 247
 Dictamnus, 161
 Dictydiaethalium plumbeum, 269, 322
 Dictydium cancellatum, 270
 Diderma asteroides, 267; deplanatum, 262, 266; floriforme, 267; globosum, 266; hemisphericum, 266; Lyallii, 266; niveum, 266; radiatum, 266; radiatum umbilicatum, 266; spumaroides, 266; testaceum, 266; Trevelyani, 266
 Didymium annulatum, 266; Clavus, 262, 266; difforme, 266; melanosporum, 265; melanospermum

- minus, 265; *nigripes*, 266; *squamulosum*, 265, 322; *xanthopus*, 266
- Diehl, Wm. W., and Edith K. Cash, The taxonomy of *Peziza querneae*, 243
- Digitaria humifusa*, 194; *sanguinalis*, 194
- Diplodia*, 190, 313, 314; *acericola*, 190, 191; *acerina*, 190; *atrata*, 191; *extensa*, 191; *maura*, 108; *microsporella*, 190; *minutissima*, 191; *natalensis*, 317; *petiolarum*, 191; *subtecta*, 190; *subtectoidea*, 190
- Diplopeltis*, 193; *sassafrasicola*, 193
- Dodge, B. O., The nature of giant spores and segregation of sex factors in *Neurospora*, 222
- Earle, Franklin Sumner, Carlos E. Chardon, 301
- Easy method for the study of simple Hyphae in cultures, An, R. Ciferri, 151
- Elacagnus angustifolia*, 86, 88; *commutata*, 86-88
- Elaphoglossum chartaceum*, 78; *latifolium*, 78
- Elsinoe*, 44; *viticola*, 44
- Elymus virginicus*, 194, 195
- Enerthenema papillatum*, 268
- Enteridium olivaceum*, 269, 322; *splendens*, 269
- Epidochium affine*, 6, 8, 10-12; *ambiens*, 6, 8, 10-12
- Equisetum arvense*, 196
- Eriodictyon tomentosum*, 331
- Eriophorum angustifolium*, 24; *polystachium*, 24
- Erysiphe Martii*, 194
- Erythrina herbacea*, 115
- Etheiroidon*, 146
- Etter, Bessie E., New media for developing sporophores of wood-rot fungi, 197
- Eucalyptus*, 120, 122, 128, 160, 314
- Euphorbia*, 161; *Cyparissias*, 288, 289
- Evonymus*, 161
- Exophoma astericola*, 188
- Exosporium Betheli*, 332; *deflectens*, 332; *rhoina*, 332
- Ferula*, 163
- Fern rust of the genus *Desmella*, Another, J. C. Arthur, 77
- Festuca*, 160
- Ficus*, 162, 163
- Finkia portoricensis*, 34
- Florida, The occurrence of tuckahoes and *Poria Cocos* in, George F. Weber, 113
- Fomes Ribis*, 100
- Fraser, W. P., and G. A. Ledingham, Studies of the sedge rust, *Puccinia Caricis-Shepherdiae*, 86
- Fraxinus americana*, 275; *quadrangulata*, 196
- Fuligo septica*, 263, 322
- Fumago vagans*, 330
- Fungi—VI, New and Noteworthy, John Dearness, 326
- Fusarium*, 207, 208, 214-216, 218; *elegans*, 207, 214; *merismoides*, 111; *phacidioideum*, 331; *roseum*, 207, 215; *viticola*, 111
- Fusicoccum pyrorum*, 107
- Galeobdolon*, 160
- Ganoderma*, 202; *Curtisii*, 202; *polychromum*, 202
- Gautieria graveolens*, 107
- Geaster triplex*, 106
- Gloeosporium affine*, 181; *Equiseti*, 196; *fraxineum*, 196; *musarum*, 196; *obtegens*, 109; *septorioides*, 196
- Glottidium*, 161
- Glutinium hystricinum*, 331
- Godronia*, 243
- Godroniopsis*, 243, 247; *quernea*, 244, 247
- Gomphidius ochraceus*, 105; *oregonensis*, 105; *subroseus*, 105; *tomentosus*, 105
- Goniolimon*, 162
- Gossypium*, 162, 317
- Grandinia*, 146; *coriaria*, 149; *tabacina*, 149
- Greene, H. C., *Myxomycetes* of western Washington, 261
- Grifola tuckahoe*, 124, 125
- Grossularia*, 163
- Guignardia Bidwellii*, 191
- Gymnoconia interstitialis*, 97, 288, 289
- Gymnosporangium germinale*, 289; *inconspicuum*, 332; *Juniperi-virginianae*, 289
- Gynerium*, 161
- Gyrocollema scyphuliferum*, 36
- Hagelstein, Robert, New Mycetozoa from Long Island, 297
- Hamamelis*, 277; *virginiana*, 324
- Hapalosiphon*, 57
- Harshberger, John W., An ancient Roman toadstool carved in stone, 143
- Hawaiian Islands, *Botryosphaeria* and *Physalospora* in the, Neil E. Stevens and C. L. Shear, 313
- Hebeloma fastibile*, 104
- Hedera*, 161, 163
- Hedcock, George G., The large leaf

- spot of chestnut and oak associated with *Monochaetia Desmazierii*, 324
- Helianthus*, 160
- Helleborus niger*, 107
- Helminthosporium attenuatum*, 330; *inaequale*, 192; ***lumbricoideum***, 330
- Hemitrichia clavata*, 272, 322; *serpula*, 272; *stipata*, 272; *vesparium*, 272
- Heracleum*, 160
- Heterosporium californicum*, 331; *Eucalypti maculicolum*, 331; ***laricinum***, 328; *Laricis*, 329; *maculatum*, 274
- Heuchera glabra*, 327
- Hibiscus*, 161-163, 317; *Sabdariffa*, 314; *tiliaceus*, 314, 315, 317
- Hicoria alba*, 324; *glabra*, 324; *laciniosa*, 324; *ovata*, 325
- History of mycological collectors in Colorado, Paul F. Shope, 292
- Holcus lanatus*, 290; *Sorghum*, 195
- Hormodendrum*, 216; *cladosporioides*, 207, 213
- Horsfall, J. G., *Species of Cercospora on Trifolium, Medicago, and Melilotus*, 304
- Horsfall, J. G., and A. E. Jenkins, A comparison of two species of *Plectodiscella*, 44
- Humaria*, 238
- Hunt, W. R., Collections of rusts made in New York State, 288
- Hutchinson, W. G., An undescribed species of *Macrophoma* and of *Volutella* occurring on *Pachysandra terminalis*, 131
- Hydnaceae, Notes on the, Howard J. Banker, 145
- Hydnellum*, 147
- Hydnum*, 147; *crinale*, 148, 149; *ferruginosum*, 148, 149; *imbricatum*, 100; *repandum*, 145; *tomentosum*, 148
- Hymenoscypha Duriaana*, 7
- Hypericum virginicum*, 291
- Hyphae in cultures, An easy method for the study of simple, R. Ciferri, 151
- Hypholoma Candolleianum*, 105
- Hyphomys cinerascens*, 283; *echinosporus*, 100; *pallidus*, 100; ***pennsylvanicus***, 283; *zygodesmoides*, 283
- Hypocrea*, 213; *rigens*, 213
- Hypoxylon*, 162
- Ilex*, 162, 163
- Illinois—IV, Notes on the parasitic fungi of, L. R. Tehon and G. L. Stout, 180
- Imperfect stage of *Cryptosphaeria populina*, The, E. J. Schreiner, 233
- Iris*, 159, 161, 163
- Iva axillaris*, 327
- Jatropha*, 163
- Jenkins, A. E., and J. G. Horsfall, A comparison of two species of *Plectodiscella*, 44
- Juglans*, 161; *cinerea*, 276
- Juncus*, 58, 66, 67, 69, 160, 162; *militaris*, 56, 57, 68, 73, 75; *tenuis*, 291
- Juniperus occidentalis*, 332; *virginiana*, 289
- Kentia*, 161
- Kern, Frank D., A new rust handbook, 169
- Klebahnia*, 170
- Kuehneola albida*, 289
- Lachnellula*, 239
- Lachnobolus globosus*, 262, 271
- Lactuca*, 160, 162, 163
- Lagenaria*, 161
- Lambert, Edmund B., The production of normal sporophores in monosporous cultures of *Agaricus campestris*, 333
- Laminaria*, 162
- Lamproderma arcyronema*, 268; *columbinum*, 268; *robustum*, 268; *violaceum*, 268, 322
- Lantana aculeata*, 315
- Lappa*, 157, 159
- Larix americana*, 278; *occidentalis*, 328
- Lathyrus*, 195
- Leaf spot of chestnut and oak associated with *Monochaetia Desmazierii*, The large, George G. Hedcock, 324
- Lecanactis melanocheiloides*, 37
- Lecanora chlorophaeiza*, 33; *chlorophaeodes*, 33; *saxicola*, 254; *xanthophana*, 254, 257
- Lecidea granulosa*, 36; ***hilariella***, 36; ***manatiensis***, 35
- Ledingham, G. A., and W. P. Fraser, Studies of the sedge rust, *Puccinia Caricis-Shepherdiae*, 86
- Lentinus lepideus*, 104, 197, 199, 202; *Tuber regium*, 124, 125
- Leocarpus fragilis*, 265
- Lepargyrea argentea*, 86-88; *canadensis*, 86-88
- Lepidoderma carestianum granuliferum*, 267; *Chaillietii*, 262, 267; *tigrinum*, 267, 322
- Lepiota decorata*, 103; *pulcherrima*, 103
- Leptonia parasitica*, 280
- Leptothyriella Liquidambaris*, 192
- Leucaena glauca*, 314, 317

- Libertella corticola*, 110
Licea variabilis, 269
Liceopsis lobata, 262, 269
 Lichens from Porto Rico, New species of, E. A. Vainio, 33
Ligustrum, 161
Lilium canadense, 327
Linaria, 162
Lindbladia effusa, 269
Linum usitatissimum, 79
Liquidambar styraciflua, 193
 Long Island, New Mycetozoa from, Robert Hagelstein, 297
 Longevity of Myxomycete spores, The, Ernest C. Smith, 321
Loramycetes, 72, 75; *juncicola*, 72, 75
Loramycetes, an undescribed aquatic Ascomycete, Observations on, William H. Weston, Jr., 55
Lotus, 160, 161
Lycogala epidendrum, 271; *epidendrum exiguum*, 271; *flavo-fuscum*, 271
Lycoperdon cervinum, 123, 125; *poculiforme*, 171; *sclerotium*, 115, 123; *solidum*, 114, 123, 125
Lycopersicum, 159, 161, 162, 164; *esculentum*, 182

Macrophoma, 131, 134, 137; *Cercis*, 188; *Pachysandrae*, 134, 136, 141; *Phlei*, 188; *Smilacinae*, 187
Macrophoma and of *Volutella* occurring on *Pachysandra terminalis*, An undescribed species of, W. G. Hutchinson, 131
Macrosporium, 155-158; *commune*, 155
Macrosporium, Tabulation of *Alternaria* and, P. A. Young, 155
Magnolia, 119, 162; *grandiflora*, 120, 128
 Magnusson, A. H., The yellow species of *Acarospora* in North America, 249
Mahonia nervosa, 107
Malus, 44
Malva, 162, 163; *rotundifolia*, 291
Mangifera indica, 314
Margarita metallica, 271
Marssonina piriformis, 109
 Media for developing sporophores of wood-rot fungi, New, Bessie E. Etter, 197
Medicago, 161, 304, 309, 311; *arabica*, 312; *hispida*, 312; *lupulina*, 306, 312; *maculata*, 312; *sativa*, 306, 312
Melampsora americana, 288, 289; *confluens*, 79, 82; *Euphorbiae*, 288, 289; *Lini*, 79, 80, 82; *Medusae*, 79, 82, 289
Melampsora and *Coleosporium*, The Uredinia of, E. H. Moss, 79
Melampsoropsis, 81
Melanconis Juglandis, 275
Melanopsichium austro-americanum, 194
Melanospora antarctica, 182; *carpopbila*, 182; *interna*, 181, 182; *Marchaliana*, 182; *ornata*, 182; *Solani*, 182
Melilotus, 161, 304, 309, 311; *alba*, 194, 306, 312
Mentha spicata, 291
Merulius americanus, 102; *Corium*, 102; *fugax*, 102; *niveus*, 102
Metasphaeria Asparagi, 182, 187; *sassafrasicola*, 183
 Method for the study of simple Hyphae in cultures, An easy, R. Ciferri, 151
Metrosideros polymorpha, 319
Micropuccinia, 170
Mitruia, 55
Monochaetia Desmazierii, 324
Monostyla, 90, 95
Mortierella, 175; *elasson*, 176; *Rostafinskii*, 176; *simplex*, 176; *stragulata*, 176
Mortierella, A new species of, C. P. Sideris and G. E. Paxton, 175
Morus alba, 328
 Moss, E. H., The Uredinia of *Melampsora* and *Coleosporium*, 79
Mucor, 208, 216, 218; *abundans*, 207, 208; *circinelloides*, 207, 208; *griseocyanus*, 207, 208; *griseo-lilacinus*, 207, 209, 217, 218; *varians*, 207, 209
Mulgedium, 162
Musa, 162; *sapientum*, 196
 Mycetozoa from Long Island, New, Robert Hagelstein, 297
 Mycological collectors in Colorado, History of, Paul F. Shope, 292
 Mycological flora of local soils, Contribution to a, Marjorie E. Swift, 204
 Mycological notes for 1926-27, L. O. Overholts, 274
Mycoporum integrum, 40; *pyrenocarpum*, 40
Mycosphaerella lethalis, 194; *maculiformis*, 276
Mylitta australis, 124
Myrica asplenifolia, 289
Myrothecium, 216; *convexum*, 207, 215, 217, 218
 Myxomycete spores, The longevity of, Ernest C. Smith, 321
 Myxomycetes of western Washington, H. C. Greene, 261
Myxosporium corticola, 111

Nasturtium, 164
 Nature of giant spores and segrega-

- tion of sex factors in *Neurospora*,
The, B. O. Dodge, 222
- Negundo, 157, 161
- Nelumbium, 163
- Neofabraea malicorticis, 111
- Nerium Oleander, 317
- Neurospora crassa*, 225-229; sitophilic, 222, 223, 225-231; tetrasperma, 222-226, 230
- Neurospora*, The nature of giant spores and segregation of sex factors in, B. O. Dodge, 222
- New and noteworthy fungi—VI, John Dearnness, 326
- New media for developing sporophores of wood-rot fungi, Bessie E. Etter, 197
- New mushroom book, A, L. O. Overholts, 167
- New Mycetozoa from Long Island, Robert Hagelstein, 297
- New rust handbook, A, Frank D. Kern, 169
- New species of lichens from Porto Rico, II, E. A. Vainio, 33
- New species of *Mortierella*, A. C. P. Sideris and G. E. Paxton, 175
- New York State, Collections of rusts made in, W. R. Hunt, 288
- Nicotiana*, 159-163
- Nigredo*, 170, 336
- Nitella*, 93
- North America, The yellow species of *Acarospora* in, A. H. Magnusson, 249
- North American cup-fungi, The, Fred J. Seaver, 54
- North American species of *Sclerotinia* II—Two species on *Carex*, S. Duriaana (Tul.) Rehm, and S. longisclerotialis n. sp., H. H. Whetzel, 5
- Note on the occurrence of two rotifer-capturing *Phycomycetes*, A. F. K. Sparrow, Jr., 90
- Notes and brief articles, 52, 112, 167, 232, 336
- Notes on the *Hydnaceae*, Howard J. Banker, 145
- Notes on the parasitic fungi of Illinois—IV, L. R. Tehon and G. L. Stout, 180
- Observations on *Loramyces*, an undescribed aquatic ascomycete, William H. Weston, Jr., 55
- Occurrence of tuckahoes and *Poria Cocos* in Florida, The, George F. Weber, 113
- Odontia*, 146, 147; ferruginea, 147-149; nivea, 147
- Oedogonium*, 95
- Oligonema brevifilum*, 273; nitens, 273
- Onobrychis*, 160
- Oospora hypoxylicola*, 110
- Ophiotrichum Verbenae*, 329
- Oregon fungi—III, Contribution to our knowledge of, S. M. Zeller, 97
- Osmaronia cerasiformis*, 109
- Osmorhiza*, 291
- Osteomeles*, 318; anthyllidifolia, 315
- Overholts, L. O., A new mushroom book, 167; Mycological notes for 1926-27, 274
- Ovularia obliqua*, 111
- Pachyma Cocos*, 116, 117, 123-125; coniferarum, 124, 125; Hoelen, 124; pinetorum, 124, 125; solidum, 124, 125
- Pachysandra terminalis*, 131, 134, 136, 137, 141, 142
- Pachysandra terminalis*, An undescribed species of *Macrophoma* and of *Volutella* occurring on, W. G. Hutchinson, 131
- Palmella*, 40
- Panaeolus papilionaceus*, 105; retiguis, 105; subbalteatus, 105
- Panax*, 163, 317
- Pandanus*, 318; odoratissimus, 314
- Panicum*, 160; glabrum, 194; sanguinale, 194
- Papaver*, 162, 163
- Parasitic fungi of Illinois—IV, Notes on the, L. R. Tehon and G. L. Stout, 180
- Parmelia chlorophana*, 251
- Pastinaca sativa*, 189
- Patellaria*, 247; cenangiicola, 244, 246, 247
- Patellea cenangiicola*, 244
- Patterson, Mrs. Flora Wambaugh, Vera K. Charles, 1
- Paxton, G. E., and C. P. Sideris, A new species of *Mortierella*, 175
- Pelargonium*, 160-162
- Pelvetia*, 162
- Penicillium*, 206-208, 211, 212, 216-218; Herquei, 207, 212; oxalicum, 207, 212; pinophilum, roseum, 207, 211; stoloniferum, 207, 211
- Peniophora albula*, 282; Allescheri, 282; mutata, 282
- Peridermium Cerebrum*, 288, 289
- Persea*, 47
- Pertusaria mastocheila*, 33
- Pestalozzia Hartigii*, 109; truncata, 109
- Petroselinum*, 162
- Pezicula*, 278
- Peziza*, 13; Agassizii, 238; crocea, 236; Duriaana, 7, 9, 11, 12, 15;

- querneae, 243, 244; subularis, 12; tuberosa, 12
 Peziza querneae, The taxonomy of, Wm. W. Diehl and Edith K. Cash, 243
 Phalaris arundinacea, 84
 Phaseolus, 160, 163; vulgaris, 329
 Phialea crocea, 236
 Philadelphus Gordonianus, 107
 Phlebia cinnabarina, 100; radicata, 100
 Phleum pratense, 188, 290
 Pholiota, 202; blattaria, 104; marginata, 104
 Phoma, 134, 183, 235; Asparagi, 187; **asparagina**, 183, 187; glandicola, 107; media, 187; Philadelphi, 107
 Phragmidium Potentillae-canadensis, 289; Rosae-setigerae, 290
 Phycomycetes, A note on the occurrence of two rotifer-capturing, F. K. Sparrow, Jr., 90
 Phyllachora, 178, 179; Pennellii, 178, 179; Simabae Cedronis, 178, 179
 Phyllachora Simabae Cedronis, Studies in tropical Ascomycetes—VI. Fred J. Seaver, 178
 Phyllosticta **alleghehiensis**, 185; Castaneae, 274; Dearnessii, 185; effusa, 186; maculiformis, 276; mahoniaecola, 107; orobella, 195; plantaginella, 184; plantaginicola, 184; Plantaginis, 184; Podophylli, 185; **podophyllina**, 184; procumbens, 134; **Rugelii**, 184; Sassafras, 195; Smilacis subeffusa, 186; sorghina, 195; **subeffusa**, 186; variabilis, 185
 Phymatotrichum fungicola, 110
 Physalospora, 313, 318, 319; fusca, 315; malorum, 315-317
 Physarella oblonga, 265
 Physarum alpinum, 263; bitectum, 263; carneum, 264; cinereum, 263, 322; citrinum, 264; compressum, 264; confertum, 263; conglomeratum, 263; contextum, 263; didermoides, 264; globuliferum, 264; instratum, 263; murinum, 264; nutans, 264; nutans leucophaeum, 265; oblatum, 264; penetrabile, 264; polycephalum, 264; pulcherrimum, 264; pulchripes, 264; rubiginosum, 262, 264; sinuosum, 263; straminipes, 322; tenerum, 264; vernum, 263; viride, 265; wingatense, 264
 Physostegia, 195
 Phytolacca, 160, 162, 163
 Picea, 99, 235, 236; Engelmanni, 199; mariana, 237, 242; rubra, 242
 Pilea pumila, 195
 Pinus, 163; contorta, 239; edulis, 199; faginea, 277; flexilis, 199; monticola, 236, 237, 242; ponderosa, 104, 199; pungens, 277; resinosa, 288; rhodoleuca, 277; rhodoleuca strobilina, 277; rigida, 277, 278, 281; strobilina, 277; Strobus, 236, 237, 242, 279; sylvestris, 236, 279, 288, 289; virginiana, 277
 Pinus Strobus, Dasyscypha Agassizii on, Walter H. Snell, 235
 Pipturus, 318; albidus, 314
 Pirus communis, 50; malus, 50
 Pisum, 159, 163; sativum, 196
 Plantago, 184; Rugelii, 184
 Platanus, 160; racemosa, 330
 Plectodiscella Piri, 44-50; veneta, 44-47
 Plectodiscella, A comparison of two species of, A. E. Jenkins and J. G. Horsfall, 44
 Pleospora herbarum Brassicae, 184; **Oleraceae**, 183
 Pleurotus ostreatus, 197, 202
 Plowrightia morbosa, 110
 Poa annua, 291
 Podophyllum peltatum, 185
 Polygonum pennsylvanicum, 194
 Polypodium, 161
 Polyporus arcularius, 202; Berkeleyi, 100; crispus, 100; cuneatus, 101; delectans, 101; diatortus, 101; epileucus, 101; Farlowii, 202; fumosus, 101; guttulatus, 101; Mylittae, 125; perennis, 107, 202, 279; tuberaster, 125
 Polytichum, 161
 Populus, 4, 276; alba, 109; Sargentii, 285; tremuloides, 275, 285, 289, 327; trichocarpa, 108
 Poria, 121, 124, 126; ambigua, 101; carbonaria, 101; Cocos, 123-125, 128; corticola, 285; ferruginosa, 101; incrassata, 101; incrustans, 101; mucida, 101; Vaillantii, 101
 Poria Cocos in Florida, The occurrence of tuckahoes and, George F. Weber, 113
 Porina **subprospersella**, 39
 Porto Rico. II, New species of lichens from, E. A. Vainio, 33
 Potentilla canadensis, 289
 Production of normal sporophores in monosporous cultures of Agaricus campestris, The, Edmund B. Lambert, 333
 Propolis faginea, 277
 Proposed amendments to the international rules of nomenclature, J. C. Arthur, 172
 Prosopis, 317
 Prototrichia metallica, 272
 Prunella vulgaris, 195
 Prunus, 157, 160, 163, 282
 Psalliota arvensis, 41; brunnescens,

- 41-43; *campestris*, 41; *subrufescens*, 41
Psalliota brunescens under cultivation? Is, F. C. Stewart, 41
Pseudodictya, 181, 192; **sassafrasicola**, 192
Pseudotsuga, 99, 100; *mucronata*, 279; *taxifolia*, 99, 102, 104, 237, 242, 331
Psidium Guajava, 314
Psoralea esculenta, 116
Pteridium aquilinum, 109
Puccinia, 162, 170, 336; *Andropogi*, 290; *Anemones-virginianae*, 290; *angustata*, 194, 290; *Asparagi*, 290; *Asteris*, 290; *Asterum*, 170, 290; *Bardanae*, 194, 290; *biformis*, 171; *canaliculata*, 194; *Caricis-Shepherdiae*, 86, 88; *Clematidis*, 290; *Cnici*, 290; *coronata*, 87, 290; *graminis*, 171, 290; *Grossulariae*, 290; *Hieracii*, 290; *Malvacearum*, 291; *Menthae*, 291; *Pimpinellae*, 291; *Porarum*, 291; *poculiformis*, 171; *Sarcobati*, 171; *Sommerfeldtii*, 171; *suaveolens*, 291; *Urticae*, 288, 291; *urticata*, 171; *Violae*, 291
Puccinia Caricis-Shepherdiae, Studies of the sedge rust, W. P. Fraser and G. A. Ledingham, 86
Pucciniola, 170
Pyrenula atrofuscescens, 39; *atropurpurea*, 39
Pyrus, 44, 160-163
Pythium, 93, 94
Quercus, 100, 120, 128, 160, 162, 164, 246, 277; *alba*, 196, 246, 325; *borealis maxima*, 324; *coccinea*, 246, 325; *Garryana*, 99, 107; *imbricaria*, 196; *macrocarpa*, 196; *marilandica*, 246, 325; *montana*, 325; *myrtifolia*, 325; *phellos*, 119; *Prinus*, 276, 331; *rubra*, 325; *stellata*, 325; *tinctoria*, 246; *velutina*, 325; *virginiana*, 246; *virginiana geminata*, 325
Ramularia Archangelicae, 326; **Chrysopsidis**, 326; **Grantii**, 326; **Ivae**, 326; **Mitellae Heucherae**, 327
Raphanus, 159
Reticularia Lycoperdon, 269, 322
Rhabdospora Rubi, 108, 109
Rhizoclonium, 91
Rhizopogon occidentalis, 106; *rubescens*, 106
Rhizopus, 208, 216, 218; *nigricans*, 206, 207, 209; *nigricans minor*, 207, 209; *nodosus*, 207, 209
Rhododendron, 109
Rhus, 160; *diversiloba*, 98; *glabra*, 332
Ribes, 157, 160; *prostratum*, 288, 289
Ricinus, 160, 162; *communis*, 314
Rosa, 47, 159; *carolina*, 290
Rotifer-capturing Phycomyces, A note on the occurrence of two, F. K. Sparrow, Jr., 90
Rubus, 161, 185; *allegheniensis*, 185, 289; *hispidus*, 289; *leucodermis*, 108, 109; *spectabilis*, 107; *villosus*, 288, 289
Rumex, 111
Rusts made in New York State, Collections of, W. R. Hunt, 288
Ruta, 162
Sagittaria, 163
Salix, 82, 108, 158, 160; *cordata*, 289; *fragilis*, 288, 289; *lutea*, 79; *petiolaris*, 289; *purpurea*, 276
Sambucus, 159; *glauca*, 108
Saponaria, 161, 163
Sassafras variifolium, 181, 183, 192, 193, 195
Satureja vulgaris, 291
Schinus Molle, 314; *terebinthifolius*, 314
Schoenus, 6, 9; *nigricans*, 7-9, 15
Schreiner, E. J., The imperfect stage of *Cryptosphaeria populina*, 233
Scirpus atrovirens, 194; *cyperinus*, 194, 290; *occidentalis*, 108; *polyphyllus*, 194
Sclerotinia, 5, 8, 9, 14, 53; *Duriaeana*, 5-30; *longisclerotialis*, 5, 16, 19-28; *scirpicola*, 18; *Vahlana*, 23, 24
Sclerotinia II.—Two species on *Carex*, S. *Duriaeana* (Tul.) Rehm, and S. *longisclerotialis* n. sp., North American species of, H. H. Whetzel, 5
Sclerotium bifrons, 275; *Cocos*, 115, 123, 125; *Eleocharidis*, 9; *giganteum*, 116, 123, 125; *nigricans*, 7, 9, 11; *sulcatum*, 6-12, 15
Scolopendrium, 162
Seaver, Fred J., Coker's *Gasteromycetes*, 52; Studies in tropical *Ascomycetes*—VI. *Phyllachora Simabae Cedronis*, 178; The North American cup-fungi, 54
Secale, 161
Segregation of sex factors in Neurospora, The nature of giant spores and, B. O. Dodge, 222
Septogloeum Nuttalliae, 109; *subnudum*, 196
Septonema formiculum, 328
Septoria, 311; *Aceris-macrophylli*, 108; *Agrimoniae*, 195; *Agropyri*, 195; *Alni*, 108; *bacilligera*, 195; *Bromi*, 195; *Brunellae*, 195; *Campanulae*, 195; *Commonsii*, 195;

- conspicua, 195; *Corylus*, 108; *narvisiana*, 108; *Physostegiae*, 195; *Pileae*, 195; *Populi*, 108; *salicina*, 108; *sambucina*, 108; *sonchifolia*, 195; *spadicea*, 4; *Stellariae*, 108; *Tecomae*, 192; ***Tecomaxochiti***, 191
- Setaria*, 159; *glaucua*, 194
- Sex factors in *Neurospora*, The nature of giant spores and segregation of, B. O. Dodge, 222
- Shear, C. L., and Neil E. Stevens, *Botryosphaeria* and *Physalospora* in the Hawaiian Islands, 313
- Shepherdia canadensis*, 86
- Shope, Paul F., History of mycological collectors in Colorado, 292
- Sideris*, C. P., and G. E. Paxton, A new species of *Mortierella*, 175
- Silene*, 163
- Smilacina stellata*, 187
- Smilax*, 186; *hispida*, 186, 196
- Smith, Ernest C., The longevity of *Myxomycete* spores, 321
- Snell, Walter H., *Dasyscypha Agassizii* on *Pinus Strobus*, 235
- Soils, Contributions to a mycological flora of local, Marjorie E. Swift, 204
- Solanum*, 159-164; *Melongenae*, 160
- Solenia anomala*, 99
- Solidago*, 290; *bicolor*, 289; *graminifolia*, 288; *juncea*, 289; *rugosa*, 81, 289
- Sommerstorffia*, 92-95; *spinosa*, 90, 91
- Sonchus*, 161, 164; *oleraceus*, 195
- Sorbus scopulina*, 330
- Sorghum*, 162
- Sparganium*, 163
- Sparrow, F. K., Jr., A note on the occurrence of two rotifer-capturing *Phycomycetes*, 90
- Species of *Cercospora* on *Trifolium*, *Medicago*, and *Melilotus*, James G. Horsfall, 304
- Sphacelia ambiens*, 7, 10, 11; *nigricans*, 7, 9, 10
- Sphaceloma*, 49; *ampelinum*, 44, 47; *Fawcettii*, 47; *Symphoricarpi*, 47
- Sphaerobolus stellatus*, 277
- Sphaerographium Fraxini*, 275
- Sphaeronema acerinum*, 275
- Sphaeropsis*, 161, 314; *Gouldiae*, 314, 317; *Phlei*, 188
- Sphaerotheca Humuli*, 107
- Spinacia*, 164
- Spirogyra*, 94, 95
- Sporophores in monosporous cultures of *Agaricus campestris*, The production of normal, Edmund B. Lambert, 333
- Stachybotrys*, 216; *atra*, 207; 213
- Starbaeckia*, 243
- Steironema ciliatum*, 195; *lanceolatum*, 195
- Stellaria media*, 108
- Stemonitis axifera*, 267; *ferruginea*, 322; *flavogenita*, 267, 322; *fusca*, 267; *herbatica*, 267; *hyperopta*, 267; *pallida*, 267; *splendens*, 267; *uvifera*, 267
- Stemphylium*, 155; *Tritici*, 4
- Sterculia*, 160
- Stereum*, 238, 282; *bicolor*, 283; *Chaillietii*, 98; *cinerascens*, 98; *erumpens*, 98; *fuscum*, 283; *Murrayi*, 99; *rugisporum*, 99, 283; *sanguinolentum*, 99, 235; *subpileatum*, 99
- Stevens, Neil E., and C. L. Shear, *Botryosphaeria* and *Physalospora* in the Hawaiian Islands, 313
- Stewart, F. C., Is *Psalliota brunnescens* under cultivation? 41
- Stigeoclonium*, 57
- Stigmathea*, 181
- Stigmatodothis*, 181
- Stigmatophragma***, 180, 181; ***sassafrasicola***, 181
- Stigmella Platani*, 330; ***Platani-racemosae***, 330; ***Vernoniae***, 330
- Stigmina Vitis*, 328
- Stigonema*, 57
- Stipa*, 160; *avenacea*, 194; *spartea*, 194
- Stout, G. L., and L. R. Tehon, Notes on the parasitic fungi of Illinois—IV, 180
- Stropharia squamosa*, 105
- Strumella corynoidea*, 277
- Studies in tropical Ascomycetes—VI. *Phyllachora Simabae Cedronis*, Fred J. Seaver, 178
- Studies of the sedge rust, *Puccinia Caricis-Shepherdiae*, W. P. Fraser and G. A. Ledingham, 86
- Stysanus*, 216; *medius*, 207, 213, 217, 218; *Stemonites*, 111
- Suaeda, 159
- Swift, Marjorie E., Contributions to a mycological flora of local soils, 204
- Symphoricarpos*, 159
- Symplocarpus*, 161
- Syringa*, 159, 160
- Tabulation of *Alternaria* and *Macrosporium*, P. A. Young, 155
- Taphrina*, 4
- Taraxacum officinale*, 290
- Taxonomy of *Peziza querneae*, The, Wm. W. Diehl and Edith K. Cash, 243
- Tecoma radicans*, 191
- Tehon, L. R., and G. L. Stout,

- Notes on the parasitic fungi of Illinois—IV, 180
 Teleutospores, 170
 Thea, 161
 Thelotrema **alboolivaceum**, 38; **Crassulium**, 38; **pauperculum**, 37; **porinoide**, 38; **subcrassulium**, 38; **terebatrum**, 38
 Theobroma, 159
 Thielaviopsis **paradoxa**, 4
 Thuja **orientalis**, 278; **plicata**, 285
 Toadstool carved in stone, An ancient Roman, John W. Harshberger, 143
 Trametes **benzoina**, 101; **mollis**, 101; **Peckii**, 202; **tenuis**, 102
 Trentepohlia, 39
 Trichia **alpina**, 262, 272; **botrytis**, 273, 322; **decipiens**, 273; **erecta**, 273; **favoginea**, 273, 322; **inconspicua**, 272; **lateritia**, 273, 322; **persimilis**, 272; **scabra**, 272, 322; **subfusca**, 273; **varia**, 272; **verrucosa**, 273
 Trichoderma, 208, 216, 218; **Koningi**, 207, 212, 217, 218
 Tricholoma **bicolor**, 103; **rutilans**, 103
 Trichosanthes, 164
 Trichosporium, 216; **nigricans lignicola**, 207, 213, 217, 218
 Trichurus, 214, 216; **cylindricus**, 214; **gorgonifer**, 214; **spiralis**, 214; **terrophilus**, 207, 208, 214, 217, 218
 Trifolium, 161, 304, 309, 311; **agrarium**, 304, 306, 312; **alpestre**, 312; **hybridum**, 291, 304, 306, 312; **incarnatum**, 312; **medium**, 312; **pratense**, 291, 306, 312; **repens**, 291, 306, 310, 312
 Triosteum **aurantiacum**, 196
 Triticum, 159, 164
 Tsuga **canadensis**, 236, 242; **heterophylla**, 100
 Tubifera **ferruginosa**, 269
 Tuckahoes and Poria Cocos in Florida, The occurrence of, George F. Weber, 113
 Tuckhaus **rugosus**, 125
 Tylostoma **australianum**, 106; **Berkeleyi**, 106; **populatum**, 106; **verrucosum**, 106
 Typha **latifolia**, 274
 Uleomyces, 44
 Ulmus, 98; **alata**, 325
 Undescribed species of **Macrophoma** and of **Volutella** occurring on **Pachysandra terminalis**, An, W. G. Hutchinson, 131
 Uredinia of **Melampsora** and **Coleosporium**, The, E. H. Moss, 79
 Uredo **Anemimae**, 77
 Urocystis **Agropyri**, 194
 Uromyces, 170; **caryophyllinus**, 288, 291; **hybridi**, 291; **Hyperici-frondosi**, 291; **pedatus**, 291; **Silphii**, 291; **Trifolii**, 291; **Trifolii-repentis**, 291
 Urtica, 161, 171; **gracilis**, 194
 Ustilago, 161; **Cenchr**, 194; **echinata**, 84, 85; **hypodytes**, 194; **Paniciglauci**, 194; **Rabenhorstiana**, 194; **Vestergreni**, 85
 Ustilago **echinata** Schröt., D. M. Benedict, 84
 Vaccinium, 330
 Vainio, E. A., New species of lichens from Porto Rico, 11, 33
 Valeriana **edulis**, 116
 Valerianella, 159
 Valsa, 278; **Abietis**, 278, 279; **collicula**, 279; **Pini**, 279
 Venturia **inaequalis**, 47
 Verbena **urticaefolia**, 329
 Vernonia **gigantea**, 331
 Verticillium, 216; **lateritium**, 207, 213, 217, 218
 Vibrissea, 55, 71
 Viburnum, 160
 Viola, 162, 163; **eriocarpa**, 291
 Vitis, 159, 161, 162, 191; **Girdiana**, 328; **rotundifolia**, 191
 Volutella, 131, 137; **Buxi**, 141; **Pachysandrae**, 140-142
 Volutella occurring on **Pachysandra terminalis**, An undescribed species of **Macrophoma** and of, W. G. Hutchinson, 131
 Volvaria **speciosa**, 105
 Washington, Myxomycetes of western, H. C. Greene, 261
 Weber, George F., The occurrence of tuckahoes and Poria Cocos in Florida, 113
 Weston, William H., Jr., Observations on **Loramycetes**, an undescribed aquatic ascomycete, 55
 Whetzel, H. H., Cultures of sclerotial fungi, 53; North American species of **Sclerotinia** II.—Two species on **Carex**, S. Duriaeaana (Tul.) Rehm, and S. longisclerotialis n. sp., 5
 Wikstroemia, 318; **phillyraefolia**, 314, 315
 Wood-rot fungi, New media for developing sporophores of, Bessie E. Etter, 197
 Xerotus, 202
 Yellow species of **Acarospora** in

- North America, The, A. H. Magnusson, 249
- Young, P. A., Tabulation of *Alternaria* and *Macrosporium*, 155
- Yucca*, 160
- Zea*, 159, 162, 164; Mays, 111
- Zeller, S. M., Contribution to our knowledge of Oregon fungi—III, 97
- Zoophagus*, 94, 95; *insidians*, 90, 93
- Zygnema*, 94
- Zygodesmus granulosus*, 149; *hydroideus*, 150; *rubiginosus*, 150
- Zygorrhynchus*, 208, 216, 218; *Moelleri*, 207, 210; *Vuilleminii*, 207, 209, 217, 218

